







5. 符合HF无卤要求

⑨	Waterproof Ring	1	硅胶	BLACK;	
⑧	GLUE WATER	1	EPOXY	BLACK;	
⑦	Shell-2	1	Stainless steel SUS304	50u*Ni Min.	T=0.20mm
⑥	Shell-1	1	Stainless steel SUS304	50u*Ni Min.	T=0.20mm
⑤	GND PLATE	1	Stainless steel SUS301	No Plating	T=0.10mm
④	MID PLATE	1	Stainless steel SUS301		T=0.15mm
③	Terminal-B	12	铜镍硅合金 C18400	Au/50u*Ni Min.	T=0.12mm
②	Terminal-A	12			T=0.12mm
①	Housing	1	HIGH TEMP PAST	Black	
NO.	PART NAME	QTY	MATERIAL	DESCRIPTION	REMARK

QUALITY	SYMBOL
0	0
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100


X,X	± 0.30
-----	------------




THIRD ANGLE
PROJECTION




建议密封方式




前后组装方式



RECOMMENDED P.C.B LAYOUT(Both sides are sample)
Tolerance:±0.05,Thickness=0.60mm



组装面板后公母头对插示意图



3D View

Pin	Signal Name	Mating Sequence	Pin	Signal Name	Mating Sequence
A1	GND	First	B12	GND	First
A2	SSTXp1	Second	B11	SSRXp1	Second
A3	SSTXn1	Second	B10	SSRXn1	Second
A4	V _{BUS}	First	B9	V _{BUS}	First
A5	CC1	Second	B8	SBU2	Second
A6	Dp1	Second	B7	Dn2	Second
A7	Dn1	Second	B6	Dp2	Second
A8	SBU1	Second	B5	CC2	Second
A9	V _{BUS}	First	B4	V _{BUS}	First
A10	SSRXn2	Second	B3	SSTXn2	Second
A11	SSRXp2	Second	B2	SSTXp2	Second
A12	GND	First	B1	GND	First
SHELL		GND	SHELL		GND

PART NO.:
SEE THE PART NUMBER CODE

深圳市纬域科技有限公司
SHENZHEN WITAREA TECHNOLOGY CO., LTD

DRAWN BY	DATE
ANDY YANG	2021.07.25

QUALITY SYMBOL	GENERAL TOLERANCES (UNLESS SPECIFIED)
$\nabla = 0$	$\pm$ ---
$\nabla = 0.1$	$\pm$ 0.10
$\nabla = 0.25$	$\pm$ 0.25
$\nabla = 0.30$	$\pm$ 0.30
ANG II AP	$\pm$ ---

TITLE
TYPE C 3.1/3.2 24PIN RECEPTACLE ,MID-MOUNT,
DIP+SMT, CH=0.3MM,L=9.65MM, IP67 WATERPROOF

CHECKED BY	DATE
JAMES XIAP	2021.07.25

DWG.NO.	W0026-24-MM3-W2
---------	-----------------

SHEET NO.
2 OF 3

APPROVED BY	DATE
JASON ZENG	2021.07.25

DIMENSION STYLE
MM ONLY

DESIGN UNITS
METRIC

SCALE
1:1



THIRD ANGLE
PROJECTION




THIS DRAWING CONTAINS INFORMATION THAT IS
PROPRIETARY TO WITAREA TECHNOLOGY, AND SHOULD
NOT BE USED WITHOUT WRITTEN PERMISSION




REV	ECN No.	DATE	REMARK
A	NEW	2021.07.25	NEW RELEASE


组装防水圈款示意图





不组装防水圈款意示图



防水圈



防水圈尺寸图



说明:

- 1.材料:硅胶;黑色;
2.毛边最大0.03mm;
3:表面没有模痕;油渍;
4.环保要求:符合RoHs环保要求.

QUALITY SYMBOL $\nabla = 0$ $\triangle \circ = 0$	PART NO.: SEE THE PART NUMBER CODE		深圳市纬域科技有限公司 SHENZHEN WITAREA TECHNOLOGY CO., LTD			DRAWN BY ANDY YANG	DATE 2021.07.25
	GENERAL TOLERANCES (UNLESS SPECIFIED)		TITLE TYPE C 3.1/3.2 24PIN RECEPTACLE ,MID-MOUNT, DIP+SMT, CH=0.3MM,L=9.65MM, IP67 WATERPROOF			CHECKED BY JAMES XIAD	DATE 2021.07.25
						APPROVED BY JASON ZENG	DATE 2021.07.25
	X.XXXXX	± ---	DWG.NO.	W0026-24-MM3-W2	SHEET NO. 3 OF 3		
	X.XXX	± 0.10					
	X.XX	± 0.25					
X.X	± 0.30	DIMENSION STYLE MM ONLY		DESIGN UNITS METRIC	SCALE 1:1	THIRD ANGLE PROJECTION 	
ANGULAR	± --°						